the subject matter, experience and ability of the teacher, n instruction, and others. Judgment of teachers and principals upon experience with the general level of pupil ability, the bility for supervision, and the demands of society, frequently 25 pupils to an instructional group. In team teaching situaticlasses are much larger and others much smaller, depending upon specific objectives of the instruction. In general, however, area needed for conventional teaching and team teaching is when a given level of quality space and enrollment size are constant.

Table 4.—Median number of pupils in a room for the United States

	Elementary
1961-62 1	27. 6 27. 4 25. 0
1904-05 2	
Teachers' preference	

¹ George J. Collins, "National Inventory of School Facilities and Personnel."

² George J. Collins, and William L. Stormer, "Conditions of Public School Plants," U.S. 1

Health, Education, and Welfare, Office of Education, Washington, D.C., 1965.

The medians shown in table 4 do not reflect the wide dispupil accommodation in rooms. These disparities are reflected table 5.

Table 5.—Percent of pupils in selected number of pupils to rooms, Spring 1962

Number of pupils to rooms:	publ -
Less than 20	
20 to 29	
30 to 39	
40 or more	

For a nation with 42.1 million pupils in public schools and million instructional rooms ¹ in use and with half the pupils exceeding 27 pupils, it would take an additional 180,000 insrooms to meet the level of performance preferred by teachers principals (i.e., 25 pupils to a room).

Table 6 shows the number of additional rooms needed to overcrowding using five different measures for determining crowding.

Table 6.—Number of additional instructional rooms needed to eliminate ing as determined by varying measures of pupil accommodation for the States: 1965

	Measure of pupil accommodation
Level I: Elementary Secondary Level II: Elementary Secondary Level III (median): Elementary Secondary Level IV: Elementary Level IV: Elementary Level IV: Elementary Secondary Local appraisal: Elementary Secondary	27.4 pupils to a room 27.5 pupils to a room 30 pupils to a room Locally determined

 $^{^{\}rm I}$ Instructional rooms are designed or remodeled for class instruction and include all regul laboratories, and shops.