

for the amphetamines.

- Amphetamine abuse in Greensboro is an endemic or stable problem with drug dealers more frequently introducing new users than in any other city we studied. Phenmetrazine (Preludin) abuse has become a popular drug of abuse and appears to be primarily imported from the Washington area.
- The amphetamine epidemics Washington has experienced in the past may have been replaced by the abuse of phenmetrazine (Preludin).
- Amphetamine abuse in New York City is an endemic or stable problem when viewed in its totality with microepidemics occurring within neighborhoods. Our data are too sparse, however, to identify these neighborhoods in time and place.
- Amphetamine abuse in Atlantic City is an endemic or stable problem. Phenmetrazine (Preludin) abuse may also have become endemic.
- Amphetamine abuse in Des Moines was probably epidemic during the 1966-1971 period when it probably became endemic. Phenmetrazine (Preludin) abuse has become epidemic. Des Moines was one of the few cities we studied which reflected considerable experimentation with a wide range of amphetamine related drugs.
- Amphetamine abuse in Kansas City is an endemic or stable problem. Phenmetrazine (Preludin) abuse has, however, shown the characteristics of contagious transmission.
- Amphetamine abuse in Phoenix can be viewed as epidemic and probably has been since 1968. Phenmetrazine (Preludin)