

Table 2. Opiate signs and symptoms: Responses to morphine and azidomorphine on the single dose opiate questionnaires.

Response	Placebo	Morphine		Azidomorphine			
		15 mg	30 mg	0.35 mg	0.7 mg	1.4 mg	1.8 mg
Opiate Signs							
Normal	38	9	0	20	7	2	3
Scratching	1	22	34	16	27	35	29
Red-eyed	3	12	19	0	12	20	15
Relaxed	4	33	42	20	36	39	39
Coasting	0	10	19	4	10	24	16
Soapboxing	1	16	18	9	13	19	19
Vomiting	0	0	7	0	0	2	1
Nodding	0	0	1	0	1	0	1
Sleepy	3	2	5	4	9	8	8
Nervous	0	2	15	1	1	8	14
Drunken	0	0	1	0	0	1	0
Other	1	5	11	1	9	27	5
Opiate Symptoms							
Normal	42	20	6	39	24	16	13
Turning of stomach	0	6	15	0	6	8	6
Skin itchy	0	2	14	2	7	16	23
Relaxed	0	6	17	3	14	18	15
Coasting	0	4	11	0	4	7	9
Soapboxing	0	0	7	2	4	7	9
Pleasant sick	0	11	11	0	5	5	7
Drive	0	0	1	0	0	2	5
Sleepy	0	2	6	0	0	2	2
Nervous	0	0	5	0	1	3	0
Drunken	0	0	0	0	0	0	6
Other	0	0	0	0	0	0	0

Each value represents the total number of responses obtained in the total 5 hour observation period for all patients. Maximum number of responses for any one category is 42.