## 15554 COMPETITIVE PROBLEMS IN THE DRUG INDUSTRY

aegwod: Madrid Span Azner Pharmaely Sep. 28, 1973

Tre class cal, per

CHLOROSTREP

The clinical use has established Cholramphenical as an effective antibiotic of ample bacterial spectrum in the group of infections caused by richetsia and psitacosis limphogranuloma.

Its large antimicrobial activity penetrates the tissue barrier and expands thru them very quickly, as well as in the body fluids and the spinal fluid.

Streptomycine is clinically indicated in infections caused by susceptible organisms. Orally administrated its absorption is minimal even though large amounts go through the intestinal tract in high concentrations.

Chlorostrep capsules is a combination of chloramphenical and streptomycin; each capsule contains 125 mg. of Ch. and 125 mg. of streptomycine as sulfate.

## Indications

Ch. is a potent therapeutic agent. It should be used under a physician's directions and should not be used for trivial infections. It is specially indicated for bacterial meningitis, typhoid fever, ricketsia, bacteroid infections and intraocular infections; septicemia due to gram negative organisms and other serious infections where bacteriologic or clinic evidence determine the ch. as the appropriate antibiotic.

The streptomycine used orally is not systematically absorbed and passes thru the intestine in high concentrations, many pathogen bacteria including shigellas and the coli group, are susceptible to its bactericide action.

Ch. is used successfully in the pre-operatory stage of rectal or colon surgery, mixed infections found in intestical surgery, anal-rectal tuberculosis, anal fistulas, cysts and pilonidal infections as well as enteric or dyarrhea infections.

## Precautions:

Ch. should be used under physician's instructions. : should not be used for trivial infections.

Block the use of ch. When a long treatment is necessary, blood tests should be done at require intervals.