

9. Gruber, C. M., Jr.: Codeine phosphate, propoxyphene hydrochloride, and placebo. *JAMA* 164:966-969, 1957.
10. Gruber, C.M., Baptisti, A., Chernish, S.M.: Comparative evaluation of analgesic agents in postpartum patients: Oral dextropropoxyphene, codeine, and meperidine. *Anesth. Anal.* 41:538-544, 1962.
11. Gruber, C.M., Jr., Baptisti, A., Jr., and Kiplinger, G.F.: Relief of postpartum uterine cramping with propoxyphene and aspirin. *Toxicol. Appl. Pharmacol.* 19:546-553, 1971.
12. Gruber, C.M., Doss, J., Baptisti, A., et al: The use of postpartum patients in evaluating analgesic drugs. *Clin. Pharmacol. Ther.* 2:429-44, 1961.
13. Gruber, C.M., Jr., King, E.P., Best, M.M., et al: Clinical bioassay of oral analgesic activity of propoxyphene (Lilly), acetylsalicylic acid, and observations on placebo reactions. *Arch. Int. Pharmacodyn.* 104:156-166, 1955.
14. Gruber, C.M., Jr.: Codeine phosphate propoxyphene hydrochloride, and placebo. *JAMA* 164:966-969, 1957.
15. Gruber, C.M. Jr., Wolen R.L., and Baptisti, A. Jr.: Analgesic scores as timed responses following oral administration propoxyphene to postpartum patients. *Toxicol Appl. Pharmacol.* 19:504-511, 1971.
16. Hopkinson, J.H. III, Bartlett, F.H. Jr., Steffens, A.O. et al: Acetaminophen versus propoxyphene hydrochloride for relief of pain in episiotomy patients. *J. Clin Pharmacol.* 13:251-263, 1973.
17. Hopkinson, J.H., Blatt, G., Cooper M. et al: Effective pain relief: Comparative results with acetaminophen in a new dose formulation propoxyphene napsylate-acetaminophen combination, and placebo. *Current. Ther. Res.* 19:622-630.
18. Howard, G.M., Levy, J. Dougherty J.: Clinical evaluation of analgesic potency of dextro propoxyphene hydrochloride on orthopedic patients. *New York J. Med.* 61:3285-3288 1961.
19. Kay, B.: A clinical comparison of orally administered aspirin, dextro-propoxyphene and pentazocine in the treatment of postoperative pain. *J. Int. Med. Res.* 2:149-152, 1974.
20. Lipton, S., Conway, M., and Ali Akbar F.: *Current Med. Res. & Op.* 3:175-180 1975.
21. Marrs, J.W. Glas W.W. Silvani J.: Report of an investigation of d-propoxyphene hydrochloride. *Amer. J. Pharm.* 131:271-276 1959.
22. Matts, S.G.F.: A double-blind comparison of pentazocine-paracetamol and dextropropoxyphene-paracetamol compound tablets.
23. Moertel, C. G., Ahmann, D.L., Taylor W.F. et al: A comparative evaluation of marketed analgesic drugs. *N. Eng. J. Med.* 286:813-815 197 .
24. Moertel, C. G., Ahmann, D.L., Taylor, W.F. et al: Relief of pain by oral medications a controlled evaluation of analgesic combinations. *J. Am. Med. Assoc.* 229-55-59 1974.
25. Ping, R.S., and Redish, C.H.: Dextro propoxyphene, a new non-narcotic analgesic. *J. Indiana State Dent. Assoc.* 40:90-95, 1961.
26. Prockop L.D., Eckenhoff, J.E., McElroy, R.C.: Evaluation of dextropropoxyphene, codeine and acetylsalicylic compound. *Obstet. Gynec.* 16:113-118, 1960.
27. Robbie, D.S., and Samarasinghe, J.: Comparison of aspirin-codeine and pharacetamol-dextropropoxyphene compound tablets with pentazocine in relief of cancer pain. *J. Int. Med. Res.* 1:246-252 1973.
28. Sadove, M.S., Schiffrin, M.J., Ali, S.M.: A controlled study of codeine, dextro propoxyphene and Ro 4-1778/1. *Amer. J. Med. Se.* 241:103-108, 1961.
29. Smith, M.J., Levin, H.M., Bare, W.W. et al: Acetaminophen extra strength capsules versus Propoxyphene compound -65 versus placebo: a double blind study of effectiveness and safety. *Current Ther. Res.* 17:452-459, 1975.
30. Strumia E. and Babbini, M.: A comparative evalution of mefenamic acid, propoxyphene, flufenisal and placebo in osteoarticular pain. *J. Int. Med .Res.* 1:258-260, 1973.
31. Sunshine, A., Laska, E., Slafra, J. et al: A comparative analgesic study of propoxyphene hydrochloride, propoxyphene napsylate, and placebo. *Toxicol. Appl. Pharmacol.* 19:512-518, 1971.
32. Wang, R.I.H.: A controlled clinical comparison of the analgesic efficacy of Ethoheptazine, Propoxyphene and placebo. *Europ. J. Clin. Pharmacol.* 7:183-185, 1974.
33. Wang, R.I.H., Gruber, C.M.: A double-blind method for evaluating analgesics in men. *Amer. J. Med. Sci.* 235:297-300, 1958.
34. Wang, R.I.H. and Sandoval, R.G.: The analgesic activity of propoxyphene napsylate with and without aspirin. *J. Clin. Pharmacol.* 11:310-317, 1971.