Certain specific drugs within their respective categories were preferred in all of the adult hospitals as shown in Table 5. A review of over 200 papers reporting on the efficacy of many of these agents revealed that very few studies were well controlled. Therefore, it would appear that general acceptance of a

given drug is frequently based on personal experience.

Muller has reviewed the importance of proper prescription writing. (17) Physicians who write prescriptions which lack precision and have poor style and incomplete instructions are unintentionally adding more variables to the problems of drug usage. (18) The present study documents the fact that improper prescription writing included omission of route and frequency orders. While this study is descriptive and is not intended to lead to any objective conclusions, it does document the need for more studies of multidrug therapy, and

more care in the writing of drug orders.

This investigation was supported by Public Health Service research grant HE-5616. Hugo Muench, M.D., Ph.D, and Rasma Klints gave biostatistical assistance.

## Generic and trade names of drugs

Bisacodyl-Dulcolax. Chlordiazepoxide hydrochloride—Librium. Chloramphenicol—Chloromycetin, Cylphenicol, Tega-Cetin. Chlorpromazine hydrochloride—Thorazine Hydrochloride. Chlorothiazide—Diuril. Dexamethasone—Decadron, Dexameth, Gammacorten, Hexadrol. Diphenyldramine Hydrochloride—Blenadryl, Valdrene.
Dried aluminum hydroxide gel—Alkagel, Amphojel, Creamalin. Hexachlorophene—G-11, Germa-Medica, pHisoHew, Septisol. Hydrochlorothiazide—Esidrix, Hydrodiuril, Oretic. Hydroxyzine hydrochloride—Atarax, Vistaril.

Meperidine hydrochloride—Demerol, Hydrochloride, Pro-Meperdan. Meralluride injection-Mercuhydrin. Mercaptomerin sodium—Thiomerin, Sodium.
Metaraminol bitartrate—Aramine, Pressonex Bitartrate. Paromomycin sulfate—Humatin. Pentobarbital sodium—Nembutal Sodium. Phenylephrine hydrochloride—Aquamephyton, Konakion, Mephyton, Mono-Kau, Prednisone—Deltasone, Deltra, Meticorten, Paracort. Prochlorperazine—Compazine.
Promazine hydrochloride—Sparine. Propoxyphene hydrochloride—Darvon. Secobarbital—Seconal. Tetracycline—Achrocmycin, Tetracyn.
Tolbutamide—Orinase.

## References

(1) Curran, W.J.: Legal Regulation and Quality Control of Medical Practice Under the British Health Service, New Eng J Med 274:547-557 (March 10) 1966.

(2) Investigating the New Drugs, Letter to the Editor, Lancet 2:1182 (Dec.

- (3) Kaerber, G.: Arzneimittelschäden, ihre Erfassung und Dokumentation vom Standpunkt des bundesgesundeheitsamtes. Meth Inform Med 3:127-131 (No. 3-4) 1964.
- (4) Homann G.: Arzneimittelschäden, ihre Erfassung und Dokumentation Cedarken und Lösungvorschläge vom Standpunkt de ärztlichen Selbstverwaltung. Meth Inform Med 4:11-15 (March) 1965.
- (5) Reporting of Adverse Reactions to Drugs, Editorials and Annotations, Canad Med Assoc J 92:476-477 (Feb 27) 1965.
- (6) Weston, J.K.: Adverse Drug Reaction Reporting and the Related Establishment of a Registry of Tissue Reactions to Drugs, Med Ann DC 34:380–382 (Aug) 1965.
  (7) Weston, J.K., and Weston, K.: The Control of Drug Toxicity in the United
- States of America, Practioner 194:16-21 (Jan) 1965.
- (8) DeUosaquo, N.: The Registry on Adverse Recation of the American Medical Association, Meth Inform Med 4:15-21 (March) 1965.
- (9) Hennessey, RSF.: The Evaluation of Drug Toxicity, Practitioner 194:9-15 (Jan) 1965.