

over 90% clinical success rate

OF 1250 PATIENTS TREATED WITH VIBRAMYCIN^R (doxycycline), THIS ANALYSIS OF THE CLINICAL SUCCESS RATE SPECIFICALLY INCLUDES THOSE CASES IN WHICH THE BACTERIOLOGIC ETIOLOGY WAS DETERMINED AND SENSITIVITY TESTING INDICATED ORGANISM SUSCEPTIBILITY. SENSITIVITY TESTING IS RECOGNIZED TO BE IMPORTANT FOR THE SELECTION OF THE MOST APPROPRIATE ANTIBIOTIC FOR A SPECIFIC PATIENT'S INFECTION.

DIAGNOSIS GROUP	CLINICAL RESPONSE		TOTAL	PER CENT SUCCESS
	FAVORABLE	POOR		
LOWER RESPIRATORY INFECTIONS	77	6	83	93
UPPER RESPIRATORY INFECTIONS	123	4	127	97
SOFT-TISSUE INFECTIONS	104	4	108	96
GENITOURINARY INFECTIONS	39	16	55	71
VENEREAL (GONOCOCCAL) INFECTIONS	66	2	68	97
MISCELLANEOUS INFECTIONS	12	1	13	92
TOTALS	421	33	454	

For criteria used in evaluating results of therapy, see end of brochure.