

NAME	ADDITIONAL REQUIREMENTS	SIGNIFICANCE
Mepivacaine Hydrochloride Injection, 1%, 12, 20 cc	Classification of Defects Color Limits	See Explanatory Notes. See Explanatory Notes.
Mepivacaine Hydrochloride Injection, 1%, 1.5%, 30 cc		
Mepivacaine Hydrochloride Injection, 1%, 12, 30 cc		
Mepivacaine Hydrochloride Injection, 1%, 12, 50 cc		
Nortriptyline Hydrochloride Capsules, NF, Equivalent to 25 mg Nortriptyline Base, 100s	Classification of Defects	See Explanatory Notes.
Isoproterenol Hydrochloride Injection, USP, 0.2 mg, 1 cc, 5s	Color Limits Classification of Defects Leakage test for ampuls Additional Assay	See Explanatory Notes. See Explanatory Notes. See Explanatory Notes. This additional assay method was necessary since the fluorometric procedure is more specific for the isoproterenol molecule in that a trihydroindole derivative is formed with intact isoproterenol.
Prothiolen Tablets, USP, 5 mg, 100s	Moisture Content	To assure the stability of the product, in that excessive moisture may cause deterioration.
	Classification of Defects	See Explanatory Notes.
Methyldopa Tablets, USP, 0.25 Gram, 100s	Hardness limits Classification of Defects Accelerated aging test	See Explanatory Notes. See Explanatory Notes. See Explanatory Notes.
Medroxyprogesterone Acetate Tablets, USP, 10 mg, 100s	Classification of Defects	See Explanatory Notes.