

COMPETITIVE PROBLEMS IN THE DRUG INDUSTRY 11987

RECALL NUMBER	PRODUCT	LOT(S)	MFR. & RECALLER	REASON	TYPE	CLASS	OTC or Rx
D-174-5	Isuprel HCl Brand of isoproterenol HCl 1:200	6	Winthrop Labs. Plymouth, Pa.	Label error - 12 unit shelf carbon labeled 1:100 instead of 1:200 **	Vol.	II	Rx
D-176-5	Aspirin tablets 5 gr. Uncoated	6	Otis Clapp & Sons, Inc. Cambridge, Mass.	Failed USP disintegration test	Vol.	II	OTC
D-179-5	Aspirin-free Arthritis Pain formula tablets	all	Whitehall Labs. Hammon, N.J. (MFR) Elkhart, Ind. Whitehall Labs. Div. American Home Products New York, N.Y. (RECALLER)	No approved NDA - misbranded - potential health hazard as labeled.	FDA Init.	II	OTC
D-180-5	Sodium Analgesic/ Anti-Inflammatory Tablets	all	Whitehall Labs. Hammon, N.J. (MFR) Elkhart, Ind. Whitehall Labs. Div. American Home Products New York, N.Y. (RECALLER)	No approved NDA - misbranded - potential health hazard as labeled	FDA Init.	II	OTC
D-181-5	Viaflex plastic containers various large volume parenterals	all	Travenol Labs. Morton Grove, Ill.	Product removal not involved. Recall consists of issuance of Wall Chart to hospitals titled "How to Set-Up a Viaflex Plastic IV Solution Container".	Vol.	II	Rx
D-182-5	Conray Injection 50 ml. - Meglumine Iothalamate Injec- tion USP	1	Mallinckrodt, Inc. St. Louis, Mo.	Non-sterile	Vol.	I	Rx
D-183-5	Aspirin Tablets 5 gr. Medic Brand	1	International Drugs, Inc. Smyrna, Tenn.	Cross contamination with methyl testosterone	Vol.	II	OTC
D-184-5	"Keds" Hard Gelatin Capsules Carroll Brand (Methapyrilene- scopolamine)	1	Carroll Chemical Co. Div. International Drugs, Inc. Smyrna, Tenn.	Cross contamination with methyl testosterone	Vol.	II	OTC
D-185-5	Sodium edecrin (sodium ethacrylate)	56 lots (all lots with the suffix "s")	Marck Sharp & Dohme West Point, Pa.	Subpotent	Vol.	II	Rx

** Letter was mailed to pharmacists, hospitals and wholesalers on November 8, 1974, notifying them of possible mis-labeled shelf cases and request-
ing that stocks be examined and any mislabeled cases destroyed. The product itself is not being recalled.