- Ordinance amending 1978 zoning ordinance

pgs. 19

no p.i.

MLCC0334T

ML000334T

AN ORDINANCE AMENDING ORDINANCE #801 ENTITLED "ZONING ORDINANCE OF THE BOROUGH OF SOUTH PLAINFIELD, 1978"

Be It Ordained, by the Municipal Council of the Borough of South Plainfield that the Zoning Ordinance of the Borough of South Plainfield, 1978, be amended as follows:

Section 1

Article II, Definitions, is amended to add the following:

32A. Condominium Apartments: A building, not more than 2 stories and thirty-five (35') feet in height, on one lot, containing three (3) or more separate dwelling units, for sale, and sharing joint utility services and facilities.

32B. Gross Density: Gross density shall be the total number of dwelling units divided by the acreage of the entire planned residential development including dedicated areas, common areas, and open space.

46A. Manufactured Housing: A mass produced building manufactured off site and assembled on site for long term residential use. It is modular housing and is constructed in more than one section for combination on the site. Manufactured Housing must meet State Construction Code Standards and does not include trailer home or mobile homes.

46B. Mobile Home: An unit constructed off site for residential use which is equipped with wheels or some device used for the purpose of transporting such unit from place to place whether by motor vehicle or other means; or any factory built unit, equipped with wheels, used for living or sleeping purposes, whether the same is on blocks, posts, or any other type of foundation. Mobile Home shall be synonomous with Trailer Home.

47A. Multi-Family Residential: A building used or designed as a residence for three (3) or more separate dwelling units, sharing joint utility services and facilities. This does not include motels, hotels, or rooming houses.

68A. Townhouses: More than two (2) single family dwelling units, for sale, which are attached by a common wall to each other, together with individual rear and front entrances. A townhouse unit may have a front and/or rear yard design as an integral part of each unit or all townhouse units in a development may share common outside facilities in conformance with an approved site plan. A townhouse has its own separate storage area and heating system and is considered to be an independent operating unit.

٠.

Section 2

Article II, Definitions is amended to read as follows:

24. Family: One (1) or more persons living as a single, non-profit housekeeping unit.

Section 3

Article IV, paragraph 401 shall be amended to add the following at the end of the paragraph.

PRD-1 Multi-family Residential
PRD-2 Multi-family Residential
MF-1 Multi-family Residential
SC-1 Senior Citizens Residential

Section 4

Article IV, paragraph 402 shall be amended to include zoning changes as shown on the attached map prepared by Robert E. Rosa Associates dated August 14,1984.

Section 5

Article V, General Regulations shall be amended by adding the following paragraphs at the end of this article.

- 516 General Regulations for all Multi-Family and Senior Citizen Residential Zones (PRD-1, PRD-2, MF-1, SC-1).
 - 516.1 The purpose of these special regulations is to satisfy a May 22,1984 Judgement of the Superior Court of New Jersey in Urban League of Greater New Brunswick, et.al. v. Mayor and Council of the Borough of Carteret, et.al. including the Borough of South Plainfield.
 - a. Each application for development shall comply with all provisions of the "Affordable Housing Ordinance of the Borough of South Plainfield, 1984".
 - b. Each application for development subject to these provisions shall clearly state the number of low and moderate income units, as defined in the Affordable Housing Ordinance and each resolution of approval shall clearly state the number of low and moderate income units that are approved as part of the development.
 - c. Each approved development subject to these provisions shall contain moderate income units, in a minimum proportion of ten percent (10%) of the total number of units that may be developed, assuming full development at the maximum gross density allowed by right in the

zone, and low income units in a minimum proportion of ten percent (10%) of the total number of units that may be developed, assuming full development at the maximum gross density allowed by right in the zone.

d. Any approval of a development application subject to these provisions shall require that construction of the low and moderate income units be phased in with the balance of the development in accordance with the following standard:

Number of market units completed as a % of total number of units approved

Number of low or moderate income units

Not	more	than	25%			At	least	25%
		•	50%					60%
			75%	•				85%
			90%					100%

certificates To implement this requirement, occupancy shall not be issued for more than 25% of the total number of market units until certificates of occupancy have been issued for at least 25% of the total number of low or moderate income certificates of occupancy shall not be issued for more than 50% of the total number of market units until certificates of occupancy have been issued for at least 60% of the total number of low or moderate income units; certificates of occupancy shall not be issued for more than 75% of the total number of market units until certificates of occupancy have been issued for at least 85% of the total number of low or moderate income units: and certificates of occupancy shall not be issued for more than 90% of the total number of market units until certificates of occupancy have been issued for 100% of the low or moderate income units. Where construction of low or moderate income units is being phased in with the balance of a development, each phase shall include a mixture of low and moderate income units reasonably consistent with the percentage distribution of each category within the development as a whole.

- e. No more than fifty percent (50%) of the low or moderate income units in any development subject to these provisions shall be one (1) bedroom units or efficiency units. In developments containing one hundred (100) or more low or moderate income units, at least twenty percent (20%) of these units shall be three (3) bedroom units or larger.
- f. No more than twenty percent (20%) of the total number of low or moderate income units that may be developed in any development subject to these provisions may

have occupancy restrictions based on the age of household members, except in the MF-1 and SC-1 Zones if Senior citizen projects are proposed. The Borough may not require a developer of low or moderate income housing to impose any age-based occupancy restrictions with respect to such units as a condition of approval, waiver or assistance.

- site of three (3) acres or more in any residential zone, where appropriate, multi-family development at a higher density than otherwise permitted by the applicable zoning subject to a mandatory set-aside of ten percent (10%) low income units and ten percent (10%) moderate income units, as set forth in this Section.
- Ce zoned at gross densities greater than four (4) units per acre unless those sites are subject to a mandatory set-aside provision requiring that at least fifteen percent (15%) of the total number of units that may be developed on the site shall be low or moderate income units. Any site that is zoned at a gross density of eight (8) units per acre or greater shall be subject to a mandatory set-aside provision requiring that a minimum of ten percent (10%) of the total number of units that may be developed on the site shall be low income units and a minimum of ten percent (10%) of such units shall be moderate income units.

517 Manufactured or Modular Housing

517.1 Manufactured housing, including modular, is permitted in all residential zones.

Section 6

Article VI, Off-Street Parking and Loading Facilities, shall be amended to add the following:

- 603.20 Townhouse At least one and a half (1.5) spaces per one (1) bedroom unit and two (2) spaces per two (2) bedroom unit and above.
- 603.21 Multi-family At least one and a half (1.5) spaces per efficiency and one (1) bedroom unit and one and three quarters spaces per two (2) bedroom unit and above.
- 603.22 Garden Apartments At least one and a half (1.5) spaces per efficiency and one (1) bedroom unit and one and three quarters spaces per two (2) bedroom unit and above.
- 603.23 Senior Citizens Community At least one half (.5) space per unit.

Section 7

Article VII shall be amended to add the following paragraphs:

711 PRD-1 Multi-Family Residential

711.1 PERMITTED USES

A building may be erected, altered, or used, and a lot or premises may be occupied and used for any of the following purposes:

a. Principal Uses

- (1) Condominium apartment dwellings subject to all requirements of this Section.
- (2) Townhouses subject to all requirements of this Section.

b. Accessory Buildings and Uses Including:

- (1) Swimming pools and tennis courts, but not public swim or tennis clubs.
- (2) Signs subject to the special conditions of Article VIII.
- (3) Fences and hedges subject to the provisions of this Article.
- (4) Other customary accessory uses and structures which are clearly incidental to the principal structure and use.

711.2 DEVELOPMENT STANDARDS

The PRD-1 Residential Zone specified herewith shall be occupied only as indicated in the Schedule of this Ordinance and as follows:

- a. Not more than fifty (50%) percent of the gross lot acreage shall be utilized for apartments nor more than fifty (50%) percent for townhouses.
- b. The gross density for apartments shall be sixteen (16) and for townhouses shall be eight (8); averaging a maximum of twelve units (12) per acre for the entire parcel.
- c. Special requirements for apartments are as follows:

(1) Principal Buildings

(a) Minimum front setback (measured from the proposed street R.O.W. line) - 35 ft.

- (b) Minimum setback from interior private road or parking lots 20 ft.
- (c) Minimum side and rear yard setbacks 35 Ft.
- (d) Maximum lot coverage 20%
- (e) Maximum building height 2 stories or 35 ft., whichever is less.
 - (f) Each principal building shall:
 - (1) Not be designed for or occupied by more than sixteen (16) families, nor more than three hundred (300') feet in length in its longest dimension, without terminating or providing a ninety (90) degree angle, nor exceed eighty (80') feet without a change in facade architecture, including at least twenty-five (25%) percent change in facade color, texture, design, etc., to bring about a varied composition.
 - (2) Not allow or contain outside television antenna. All television antenna equipment shall be built into the building to eliminate individual antennas from being erected on the roof. Not more than one common antenna may be used for each building.
 - (3) Provide not less than seven hundred (700) cubic feet of storage for each apartment unit in the building, exclusive of closets except those units reserved for low and moderate income units shall have not less than three hundred and fifty (350) cubic feet of storage.
 - (4) Not fail to provide, in an enclosed area, laundry facilities of not less than one washer and dryer for each ten (10) dwelling units for the exclusive use of the occupants of the building, unless provided within each unit. No outside clothes lines or clothes hanging facilities or devices shall be provided or allowed.
 - (5) Provide a recreation area to serve the needs of the anticipated apartment portion of the development and shall consist of at least the following:

- (a) A fenced-off playlot including play equipment such as swings, seesaws, etc., shall be provided. The fenced-off area shall be not less than one hundred fifty (150) sq.ft. per dwelling unit for active recreation area with a minimum size of twenty thousand (20,000) sq.ft. for active and passive area combined.
- (6) Minimum space between buildings there shall be a minimum open space of at least fifty (50') feet between the rears of any two buildings, or thirty-five (35') feet between any other combination of facades.

If buildings are overlapped, the overlap may not be greater than fifteen (15°) feet and may not contain any windows.

(7) There shall be a trash area completely surrounded by a six (6') foot high solid architectural fence with front solid gates. All outside trash shall be stored in this area and shall not be in public view over the fence height. All similar accessory appurtenances such as propane tanks shall be similarly enclosed.

(2) Accessory Buildings and Uses

(a) Accessory buildings shall conform to at least the height and front setback requirements of the principal building. The side and rear yard setbacks shall be ten (10') feet.

Those swimming pools less than four (4') feet high shall be enclosed by a permanent fence not less than four (4') feet high with a locked gate. Building permits shall be required for all swimming pools, above or below ground, with a water surface area of two hundred and fifty (250) sq.ft. or over.

(b) No truck or commercial vehicle, licensed to transport more than three-quarter (3/4) ton rated manufacturer's capacity shall be stored or parked on any lot or portion of a lot.

- (c) Accessory building attached to a principal building shall comply with the setbacks of the principal building.
- d. Special requirements for townhouses are as follows:

(1) Principal Buildings

- (a) Minimum front setback (measured from the proposed public street R.O.W. line) 40 ft.
- (b) Minimum setback from pavement of interior private road or parking area 20 ft.
- (c) Minimum each side and rear yard setbacks -40 ft.
- (d) Maximum lot coverage 20%
- (e) Maximum building height 2 stories or 35 ft., whichever is less.
- (f) Each principal building shall not:
 - (1) Be designed for more than eight (8) nor less than four (4) attached units.
 - (2) Exceed one hundred and seventy-five (175') feet in length.
 - (3) Exceed two townhouse units on one facade without providing a variation in setback equal to one-half (1/2) its depth.
 - (4) Exceed two townhouse units without a change in facade architecture, including at least twenty-five (25%) percent of facade color, texture, design, etc., to bring about a varied composition.
 - (5) Provide less than two (2) exterior exposures for each unit which shall be properly windowed so as to provide through-ventilation or cross-ventilation for each unit.
 - (6) Allow or contain outside television antennas. All television antenna equipment shall be built into the building to eliminate individual antenna towers from being erected on the roof. One common antenna tower may be used for each building.

- (7) Provide, less than seven hundred (700) cubic feet of storage for each unit in the building, exclusive of closets, except those units reserved for low and moderate income units shall have not less than three hundred and fifty (350) cubic feet.
- (8) Provide less than a minimum open space of at least fifty (50') feet between the rears of any two buildings, or thirty-five (35') feet between any other combination of facades. If buildings are connected by overlapping, the overlap may not be greater than fifteen (15') feet and may not contain any windows.
- (9) Provide less than one trash compacter within each individual unit.
- (10) Provide a townhouse unit of less than twenty (20') feet in width.
- (11) Provide individual lots for sale of less than two thousand (2,000) sq.ft. if lots are sold. Land may be kept in common ownership.

(2) Accessory Buildings and Uses.

Accessory building and uses shall conform to the same requirements as specified in 711.2(2) for apartments.

(3) Ownership and Maintenance of Common Areas

Common areas of any tract utilized for a townhouse development which are not accepted by the Township shall be deeded to a corporation, association, individuals or other legal entity consisting of a majority of the property owners within the development for their use, control, management and maintenance.


711.3 Off-street parking is required subject to the special conditions of Artcle VI.

711.4 LANDSCAPING

a. General Regulations

(1) Landscape Area

All areas in a development not used for construction of buildings, roads, accessways, parking or sidewalks shall be fully landscaped in



(2) Site Considerations

Natural site features such as: existing trees, streams, rock outcropping, etc. shall preserved wherever possible. Whenever such natural features are absent or insufficient or have been destroyed during the development of the site, additional new plantings of a sufficient size as determined by the Municipal Agency shall established to provide environmental protection to beautify the buildings and grounds, and to provide privacy, shade and the screening out of objectionable features created on the site.

(3) Design

Landscape plans shall be required, except for single and two-family homes, where no plan is required.

(4) Labeling

All landscape plans shall have a schedule of the Latin and common name, the quantity, the size, spacing, and method of planting of each plant material.

b. Additional Regulations

- (1) A minimum landscaped area five (5') ft. wide shall be provided along all property lines including public streets.
- (2) All buffers and landscaped areas shall be protected from adjacent parking areas by curbs, or concrete, metal or wood bumpers at least six (6") inches in height and securely anchored into the ground.
- (3) Service areas, parking areas, transformer compounds, and other strictly utilitarian improvements, shall be screened as fully as practicable. In general, it is intended that possible objectionable or unsightly features within a given development shall be screened from passing traffic or abutting residential properties.
- (4) In the case of a repetition of building designs, as in apartment house development, care shall be exercised to avoid monotony in the planting design by introducing sufficient variety in the planting layout to lend interest and aesthetic appeal. By the same token, excessive variety

shall be avoided, and all shall be represented as a balanced design with proper accent in the right places.

- (5) All street trees and on-site deciduous shade trees shall not be less than two and one-half (2 1/2") inch diameter measured one (1') foot above the root crown.
- (6) A satisfactory amount of evergreen plant material shall be included in the planting, this to be judged on an individual basis by the Municipality.
- (7) Areas required for buffers shall not be cleared or graded prior to development approval.
- (8) Retaining walls shall not be permitted within buffer areas unless approved as part of site plan approval.
- (9) Where the non-single-family zone line abuts a single-family residential zone, a buffer of twenty-five (25') feet shall be established, except where a public street intervenes.
- (10) Within the twenty-five (25') ft. buffer to a residential zone line no improvements can be made, and the property shall be either left in its natural state, supplemented with evergreen screening plant materials, or both as determined by the Municipal Agency for each site.
- (11) In all zones where a commercial zone line abuts a multi-family residential use, a twenty-five (25') ft. buffer must be established and maintained unless such a buffer is already established and maintained along the common boundary of that zone.

c. Landscaped Area Required

In calculating landscaped areas, the areas of plazas, open pedestrian shopping malls, sitting areas, pools and fountains shall be included. Landscaped areas within and between parking areas shall also be included.

(1) A minimum of twenty (20%) percent of the site shall be devoted to landscaped areas in addition to all required buffers, but shall include required recreation areas referred to in Section 711.2 c(1)(f)(5). The Municipal Agency shall have the authority to determine its distribution, but all front yards shall have a minimum of fifteen (15%) percent landscaped areas.

711.5 FENCES AND HEDGES

a. Intersections

At the intersection of two (2) or more streets, no wall, fence, hedge or other structure shall be erected to a height in excess of three (3') ft. above curb level, nor any other obstruction to vision shall be permitted within the triangular area formed by the nearest intersecting right-of-way street lines at points which are twenty-five (25') ft. distant from the point of intersection, measured along said right-of-way street line. Trees whose branches are trimmed away to a height of at least ten (10') ft. above curb level shall be permitted.

b. <u>Height</u>


On any lot in any residence district, no wall, fence, or hedge shall be erected or altered so that said wall or fence shall be over four .(4') ft. in height in the front yard nor be over six (6') ft. in height in the side or rear yards, except that tennis court fences may have maximum height of twelve (12') ft. Tennis courts and front yard fences shall be restricted to open mesh or other open material as approved by the Construction Official.

c. Dangerous

No fence shall be erected of barbed wire, or electrified, or topped with metal spikes or constructed of any material or in any manner which may be dangerous to persons or animals.

d. Type

Solid architectural fences shall be required along all lot lines except the street line where said property lines abut single family residential zoning district lines. Such architectural fences may be made of any material which is aesthetically pleasing and prevents the dissemination of odors, noise, debris, and sight across the residential zoning boundary. Fences used for this purpose shall be six (6') ft. in height. Nothing in this Section prevents the use of plant materials along any lot line in addition to the fence requirement, but plant materials cannot be substituted for the fence. Open chain link and chain link with plastic or aluminum slats shall not be considered to be an architecturally solid fence. A wall or fence which restricts the natural flow of drainage or causes stagnant water conditions shall not be permitted. Said wall or fence shall be ordered removed or corrected by the Owner upon direction The Municipal Agency shall Construction Official. have the authority to waive this requirement if a



e. Maintenance

Walls or fences erected shall be maintained in an aesthetically pleasing manner and any failure to do so shall be subject to the Construction Official's order to repair or replace the wall or fence in order to meet the requirements of this Ordinance.

f. Swimming Pools

There shall be a fence, not less than four (4') ft. high completely enclosing any below-ground swimming pool and any other swimming pool of one hundred (100) sq.ft. of surface water area or more and which is less than four (4') ft. above the ground. Each gate in a pool fence shall be capable of being locked when not in use.

g. Finished Side

The finished side of all fences shall be on the outside facing away from the lot on which it is erected. The intent of this provision is for safety purposes to prevent easy access from neighboring property.

712 PRD-2 Multi-Family Residential

712.1 PERMITTED USES

A building may be erected, altered, or used, and a lot or premises may be occupied and used for any of the following purposes:

a. Principal Uses

- (1) Condominium apartment dwellings subject to all requirements of this Section.
- (2) Townhouses subject to all requirements of this Section.

b. Accessory Buildings and Uses Including:

- (1) Swimming pools and tennis courts, but not public swim or tennis clubs.
- (2) Signs subject to the special conditions of Article VIII.
- (3) Fences and hedges subject to the provisions of this Article.

(4) Other customary accessory uses and structures which are clearly incidental to the principal structure and use.

712.2 DEVELOPMENT STANDARDS

The PRD-2 Residential Zone specified herewith shall be occupied only as in the Schedule of this Ordinance and as follows:

- a. Not more than eighty-five (85%) percent of the gross acreage shall be utilized for apartments nor more than fifteen (15%) percent for townhouses.
- b. The gross density for garden apartments shall be sixteen (16) and for townhouses shall be eight (8); averaging fifteen (15) units per acre for the entire parcel.
- c. All other provisions and requirements of the PRD-1 Zone shall apply to the PRD-2 Zone.

713 MF-1 Multi-Family Residential

713.1 PERMITTED USES

A building may be erected, altered, or used and a lot or premises may be occupied and used for the following uses:

a. Principal Uses

(1) Multi-family Apartments

b. Accessory Buildings and Uses

- (1) Swimming pools and tennis courts, but not public swim or tennis clubs.
- (2) Signs subject to the special conditions of Article VIII.
- (3) Fences and hedges subject to the provisions of this Article.
- (4) Other customary accessory uses and structures which are clearly incidental to the principal structure and use.

713.2 DEVELOPMENT STANDARDS

The MF-1 Residential Zone specified herewith shall be occupied only as indicated in the schedule of this ordinance and as follows:

- a. The entire parcel shall be utilized for multi-family apartments with the number of units to be one hundred (100) units. If the parcel is utilized for senior citizen units the standards of the SC-l Zone shall apply in lieu of the following:
- b. Special Requirements for Multi-Family Apartments.

(1) Principal buildings

- (a) Minimum front setback (measured from proposed street R.O.W. line) 60 ft.
- (b) Minimum side yard setback 30 ft.
- (c) Minimum rear yard setback 40 ft.
- (d) Maximum lot coverage 20%
- (e) Maximum building height 6 stories or 60 ft. whichever is less.
- (f) Minimum landscaping 15%
- (g) Each principal building shall:
 - (1) Not allow or contain outside television antenna. All television antenna equipment shall be built into the building to eliminate individual antennas from being erected on the roof. Not more than one common antenna may be used for each building.
 - (2) Provide not less than seven hundred (700)cubic feet of storage for each apartment unit in the building exclusive of closets, except those units reserved for low and moderate income units shall have not less than three hundred and fifty (350) cubic feet.
 - (3) Not fail to provide, in an enclosed area, laundry facilities of not less than one washer and dryer for each ten (10) dwelling units for the exclusive use of the occupants of the building, unless provided within each unit. No outside clothes lines or clothes hanging facilities or devices shall be provided or allowed.

٠.

(4) There shall be a trash area completely surrounded by a six (6') foot high solid architectural fence with front solid gates. All outside trash shall be stored in this area and shall not be in public view over the fence height. All accessory appurtenances such as propane tanks shall be similarly enclosed.

(2) Accessory Buildings and Uses

(a) Accessory buildings shall conform to at least the height and front setback requirements of the principal building. The side and rear yard setbacks shall be ten (10') feet.

Those swimming pools less than four (4') feet high shall be enclosed by a permanent fence not less than four (4') feet high with a locked gate. Building permits shall be required for all swimming pools, above or below ground, with a water surface area of two hundred and fifty (250) sq.ft. or over.

- (b) No truck or commercial vehicle, licensed to transport more than three-quarter (3/4) ton rated manufacturer's capacity shall be stored or parked on any lot or portion of a lot.
- (c) Accessory buildings attached to a principal building shall comply with the setbacks of the principal building.
- 713.3 Off-street parking is required subject to the special condition of Article VI.
- 713.4 Landscaping in accordance with paragraph 711.4 of this ordinance.

714 SC-1 Multi-Family Residential

714.1 PERMITTED USES

A building may be erected, altered, or used, and a lot or premises may be occupied and used for any of the following purposes:

a. Principal Use

(1) Senior Citizen Housing

b. Accessory Buildings and Uses

- (1) Swimming pools and tennis courts, but not public swim or tennis clubs.
- (2) Signs subject to the special conditions of Article VIII.
- (3) Fences and hedges subject to the provisions of this Article.
- (4) Other customary accessory uses and structures which are clearly incidental to the princiapl structure and use.

714.2 DEVELOPMENT STANDARDS

The SC-1 Residential Zone specified herewith shall be occupied only as indicated in the Schedule of this ordinance and as follows:

- a. The entire parcel shall be utilized for Senior Citizen apartments with the number of units to be between one hundred (100) and one hundred and fifty (150) units.
- b. Special requirements for Senior Citizens Apartments:

(1) Principal Buildings

- (a) Minimum front setback (measured from the proposed street R.O.W. line) 50 ft.
- (b) Minimum setback from interior private road -20 ft.
- (c) Minimum side and rear yard setbacks 35 ft.
- (d) Maximum lot coverage 20%
- (e) Maximum building height 5 stories or 50 ft., whichever is less.
- (f) Each principal building shall:
 - (1) Not allow or contain outside television antenna. All television antenna equipment shall be built into the building to eliminate individual antennas from being erected on the roof. Not more than one common antenna may be used for each building.
 - (2) Provide, in an enclosed basement area, not less than four hundred (400) cubic feet of storage for each apartment unit in the building.

- (3) Not fail to provide, in an enclosed area, laundry facilities of not less than one washer and dryer for each ten (10) dwelling units for the exclusive use of the occupants of the building, unless provided within each unit. No outside clothes lines or clothes hanging facilities or devices shall be provided or allowed.
- (4) There shall be a trash area completely surrounded by a six (6') foot high solid architectural fence with front solid gates. All outside trash shall be stored in this area and shall not be in public view over the fence height. All accessory appurtenances such as propane tanks shall be similarly enclosed.

(2) Accessory Buildings and, Uses

(a) Accessory buildings shall conform to at least the height and front setback requirements of the principal building. The side and rear yard setbacks shall be ten (10') feet.

Those swimming pools less than four (4') feet high shall be enclosed by a permanent fence not less than four (4') feet high with a locked gate. Building permits shall be required for all swimming pools, above or below ground, with a water surface area of two hundred and fifty (250) sq.ft. or over.

- (b) No truck or commercial vehicle, licensed to transport more than three-quarter (3/4) ton rated manufacturer's capacity shall be stored or parked on any lot or portion of a lot.
- (c) Accessory buildings attached to a principal building shall comply with the setbacks of the principal building.
- 714.3 Off-street parking is required subject to the special conditions of Article VI.
- 714.4 Landscaping is required subject to paragraph 711.4 of this ordinance.

Section 8

Article VIII, Signs, is amended to add the following:

801.1 e. One (1) sign shall be permitted for the purpose of identifying a multi-family, townhouse, garden apartment or any combination thereof, but shall not exceed twenty (20) sq.ft. aggregate on both sides. Said signs shall not be allowed to project above the ground by more than five (5,') feet. Signs may be illuminated as long as the glare from the lights shines directly on the sign and does not permit light to eminate beyond the property lines of the subject site.

Section 9

"Schedule of General Requirements" is ammended to add the following at the bottom of the schedule.

Area		Minimum Lot Requirements			Each	Accessory		Percent Maximum Lot	Maximum Height (whichever is	
one	Sq. Feet	Width Depth	Front	Rear	Side	Rear	Side	Coverage	less)	
RD-1	300,000	none	35/40	35/40	35/40	10	10	20	2 stories or 35	
RD-2	800,000	none	35/40	35/40	35/40	10	10	20	2 stories or	
F-1	60,000	none	60	40	30	10	10	20	35 6 stories or 60	
C-1	250,000	none	50	35	35	10	10	20	5 stories or 50	

Section 10

This Ordinance shall become effective upon passage according to law.